Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.					
Product name Castrol GTX 20W-50		Product code	468058-TR01	Page: 1/10	
Original prepara	tion date 11/29/2017	Format	Turkey	Language	ENGLISH
Version 11	Date of issue 19 April 2023		(Turkey)		

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol GTX 20W-50
Product code	468058-TR01
SDS no.	468058
Original preparation date	10/10/2012
Product type	Liquid.
1.2 Relevant identified uses o	of the substance or mixture and uses advised against
Use of the substance/ mixture	Automotive engine crankcase lubricant. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of t	the safety data sheet
Supplier	Castrol Madeni Yağlar Ticaret A.Ş İçerenköy Mah. Değirmen Yolu Cad. Mengerler Blok No: 28/1 İç Kapı No: 12 Ataşehir/İstanbul
E-mail address	MSDSadvice@bp.com

1.4 Emergency telephone number			
EMERGENCY	CASTROL DIRECT 0212 473 77 37		
TELEPHONE NUMBER	Carechem: +44 (0) 1235 239 670 (24/7)		
	Ministry of Health National Poison Information Centre: 114 (24 hours)		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture <u>Classification according to regulation SEA: RG.-10/12/2020-31330</u> Not classified.

The product is not classified as hazardous according to Regulation SEA: RG.-10/12/2020-31330.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label elements	Contains N, N-bis(2-ethylhexyl)-((1,2,4- triazol-1-yl)methyl)amine. May produce an allergic reaction. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.

Special packaging requirements

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.					
Product name Castrol GTX 20W-50		Product code	468058-TR01	Page: 2/10	
Original prepara	ation date 11/29/2017	Format	Turkey	Language	ENGLISH
Version 11	Date of issue 19 April 2023		(Turkey)		

Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients Mixture

3.2 Mixtures

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	SEA: RG10/12/2020-31330	Туре
♥istillates (petroleum), hydrotreated heavy paraffinic	EC: 265-157-1 CAS: 64742-54-7	≥75 - ≤90	Not classified.	[2]
bis(nonylphenyl)amine	Index: 649-467-00-8 EC: 253-249-4 CAS: 36878-20-3	≤3	Aquatic Chronic 4, H413	[1]
N, N-bis(2-ethylhexyl)-((1,2,4- triazol-1-yl)methyl)amine	CAS: 91273-04-0 Index: 613-072-00-9	<0.1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 1, H410 (M=1)	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Inhalation If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur. Ingestion Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Skin contact Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eye contact Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to	o phy	vsici	an
110100 10	, p.,	,	

Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.					
Product name Castrol GTX 20W-50		Product code	468058-TR01	Page: 3/10	
Original prepara	ation date 11/29/2017	Format	Turkey	Language	ENGLISH
Version 11	Date of issue 19 April 2023		(Turkey)		

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.				
Unsuitable extinguishing media	Do not use water jet.				
5.2 Special hazards arising fro	om the substance or mixture				
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.				
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.)				
5.3 Advice for firefighters					
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.				
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.				

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for co	ontainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conforms to the regulation on preparation and distribution of safety data sheets on haza		rdous materials a	and preparations 13.12.	2014 – 29204.	
Product name	Castrol GTX 20W-50		Product code	468058-TR01	Page: 4/10
Original prepara	tion date 11/29/2017	Format	Turkey	Language	ENGLISH
Version 11	Date of issue 19 April 2023		(Turkey)		

SECTION 7: Handling and storage					
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.				
Not suitable	Prolonged exposure to elevated temperature.				
7.3 Specific end use(s)					

Recommendations Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
₱ stillates (petroleum), hydrotreated heavy paraffinic	ACGIH TLV (United States). [Mineral Oil, pure, highly and severely refined] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Biological exposure indices

No exposure indices known.

```
Recommended monitoring procedures
```

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls	All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Eye/face protection	Safety glasses with side shields.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and prepara				and preparations 13.12.	2014 – 29204.
Product name	Castrol GTX 20W-50		Product code	468058-TR01	Page: 5/10
Original prepara	tion date 11/29/2017	Format	Turkey	Language	ENGLISH
Version 11	Date of issue 19 April 2023		(Turkey)		

SECTION 8: Exposure controls/personal protection

Skin protection	
Hand protection	Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>							
Physical state	Liquid.						
Colour	Amber. [Light]						
Odour	Not available.						
Odour threshold	Not available.						
рН	Not applicable.						
Melting point/freezing point	Not available.						
Initial boiling point and boiling range	ing Not available.						
Pour point	-27 °C						
Flash point	Closed cup: 204°C	(399.2°F)	[Pensky	/-Martens AS	5TM D 93]	
Evaporation rate	Not available.						
Flammability (solid, gas)	Not applicable. Bas	ed on - P	hysical s	tate			
Upper/lower flammability or Not available. explosive limits							
the second second second second second second second second second second second second second second second s	Vapour Pressure at 20°C Vapour pressure at 50°C						
Vapour pressure		Vapou	r Pressu	ure at 20°C	Vapo	ur press	ure at 50°C
Vapour pressure	Ingredient name	Vapou mm Hg	1	ure at 20°C Method	Vapo mm Hg	ur press kPa	ure at 50°C Method
Vapour pressure	Ingredient name Stillates (petroleum), hydrotreated heavy paraffinic	· ·	1	1	mm	-	1
Vapour pressure	Stillates (petroleum), hydrotreated heavy	mm Hg	kPa	Method	mm	-	1
Vapour pressure Vapour density	Stillates (petroleum), hydrotreated heavy paraffinic		kPa <0.011	Method ASTM D 5191	mm Hg	kPa	Method
	Pi stillates (petroleum), hydrotreated heavy paraffinic bis(nonylphenyl)amine		kPa <0.011	Method ASTM D 5191	mm Hg	kPa	Method
Vapour density	Pistillates (petroleum), hydrotreated heavy paraffinic bis(nonylphenyl)amine Not available.	mm Hg	kPa <0.011 <0.0013	Method ASTM D 5191	mm Hg	kPa	Method
Vapour density Relative density	Fistillates (petroleum), hydrotreated heavy paraffinic bis(nonylphenyl)amine Not available. Not available.	mm Hg	kPa <0.011 <0.0013	Method ASTM D 5191	mm Hg	kPa	Method
Vapour density Relative density Density	Fistillates (petroleum), hydrotreated heavy paraffinic bis(nonylphenyl)amine Not available. Not available.	mm Hg	kPa <0.011 <0.0013	Method ASTM D 5191	mm Hg	kPa	Method
Vapour density Relative density Density Solubility(ies)	Pistillates (petroleum), hydrotreated heavy paraffinic bis(nonylphenyl)amine Not available. Not available. <1000 kg/m³ (<1 g/c	mm Hg	kPa <0.011 <0.0013	Method ASTM D 5191	mm Hg	kPa	Method

Conforms to the regulation on preparation and distribution of safety data sheets on hazar		rdous materials	and preparations 13.12.	2014 – 29204.		
Product name	Castrol GTX 20W-50		Product code	468058-TR01	Page: 6/10	
Original prepara	tion date 11/29/2017	Format	Turkey	Language	ENGLISH	
Version 11	Date of issue 19 April 2023		(Turkey)			

SECTION 9: Physical and chemical properties

	Ingredient name	°C	°F	Method]	
	bis(nonylphenyl)amine	440	824	EU A.15		
Decomposition temperature	Not available.]	
Viscosity	Kinematic: 171.6 mm²/s (171.6 cSt) at 40°C Kinematic: 17.5 to 21.9 mm²/s (17.5 to 21.9 cSt) at 100°C					
Explosive properties	Not available.					
Oxidising properties	Not available.					
Particle characteristics						
Median particle size	Not applicable.					

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity					
10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incompati materials for additional information.					
10.2 Chemical stability	The product is stable.				
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.				
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).				
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.				
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

SECTION 11: Toxicological information

11.1 Information on toxicologica	al effects
Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation, Eyes.
Potential acute health effects	
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	No known significant effects or critical hazards.
Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Eye contact	No known significant effects or critical hazards.
Symptoms related to the physic	ical, chemical and toxicological characteristics
Inhalation	No specific data.
Ingestion	No specific data.
Skin contact	Adverse symptoms may include the following: irritation dryness cracking
Eye contact	No specific data.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health effect	<u>s</u>

Conforms to the regulation on preparation and distribution of safety data sheets on hazard		rdous materials a	and preparati	ions 13.12.	2014 – 29204.		
Product name	Castrol GTX 20W-50		Product code	468058-TR(01	Page: 7/10	
Original prepara	tion date 11/29/2017	Format	Turkey	L	anguage	ENGLISH	
Version 11	Date of issue 19 April 2023		(Turkey)				

General	USED ENGINE OILS
	Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

SECTION 12: Ecological information

```
12.1 Toxicity
```

Not classified as dangerous

12.2 Persistence and degradability

Expected to be biodegradable.

Environmental hazards

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Other ecological information Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

SECTION 13: Disposal considerations

13.1 Waste treatment met Product	hods
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	Yes.
Waste list	
-	
Waste code	Waste code definition
Waste code 3 02 05*	Waste code definition mineral-based non-chlorinated engine, gear and lubricating oils
1 3 02 05*	

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.						
Product name Castrol GTX 20W-50		Product code 4	68058-TR01	Page: 8/10		
Original prepara	tion date 11/29/2017	Format	Turkey	Language	ENGLISH	
Version 11	Date of issue 19 April 2023		(Turkey)			

SECTION 14: Transport information					
	ADR/RID	ADN	IMDG	ΙΑΤΑ	
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	-	
14.3 Transport hazard class(es)	-	-	-	-	
14.4 Packing group	-	-	-	-	
14.5 Environmental hazards	No.	No.	No.	No.	
Additional information	-	-	-	-	

14.6 Special precautions for Not available. **user**

 14.7 Transport in bulk
 Not available.

 according to IMO
 instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None of the components are listed.

Substances of very high concern None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Regulation on the prevention of major industrial accidents and reduction of their effects

This product is not controlled	I under the Regulation on the prevention of major industrial accidents and reduction of their effects.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
National inventory	
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	At least one component is not listed.
Japan inventory (CSCL)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
Taiwan Chemical Substances Inventory	All components are listed or exempted.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.						
Product name Castrol GTX 20W-50		Product code 468058-TR01		Page: 9/10		
Original prepar	ation date 11/29/2017	Format	Turkey	Language	ENGLISH	
Version 11	Date of issue 19 April 2023		(Turkey)			

SECTION 15: Regulatory information			
United States inventory (TSCA 8b)	All components are active or exempted.		
15.2 Chemical safety assessment	This product contains substances for which Chemical Safety Assessments are still required.		
SECTION 16: Other information			

Abbreviations and acronyms		erence of Industrial Hygienists			
	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway				
	,	reement concerning the International Carriage of Dangerous Goods by			
	Road				
	ATE = Acute Toxicity Est	imate			
	BCF = Bioconcentration	Factor			
	CAS = Chemical Abstrac	ts Service			
	-	zed System of Classification and Labelling of Chemicals			
	IATA = International Air	I			
	IBC = Intermediate Bulk				
	IMDG = International Ma	e octanol/water partition coefficient			
		Convention for the Prevention of Pollution From Ships, 1973 as			
		of 1978. ("Marpol" = marine pollution)			
	-	r Economic Co-operation and Development			
	PBT = Persistent, Bioaco				
	RID = The Regulations c	oncerning the International Carriage of Dangerous Goods by Rail			
	SADT = Self-Accelerating Decomposition Temperature				
		get Organ Toxicity - Repeated Exposure			
		get Organ Toxicity - Single Exposure			
	0	TWA = Time weighted average			
	UN = United Nations				
	UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound				
	vPvB = Very Persistent and Very Bioaccumulative				
	-	e or more of the following 64741-88-4, 64741-89-5, 64741-95-3,			
	64741-96-4, 64742-01-4,	, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7,			
	64742-55-8, 64742-56-9,	, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0,			
	64742-70-7, 72623-85-9,	, 72623-86-0, 72623-87-1			
Full text of abbreviated H	<mark>⊮</mark> 314	Causes severe skin burns and eye damage.			
statements	H317	May cause an allergic skin reaction.			
	H318	Causes serious eye damage.			
	H410	Very toxic to aquatic life with long lasting effects.			
	H413	May cause long lasting harmful effects to aquatic life.			
Full text of classifications	Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1			
[CLP/GHS]	Aquatic Chronic 4	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 4			
	Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1			
	Skin Corr. 1B Skin Sens. 1A	SKIN CORROSION/IRRITATION - Category 1B SKIN SENSITISATION - Category 1A			
11 - fam.	Skill Sells. TA	SKIN SENSITISATION - Calegoly TA			
History					
Date of issue/ Date of revision	19 April 2023				
Date of previous issue	19 September 2022.				
Prepared by	Product Stewardship Group	0			
	Tuba Yıldırım, Sertifika n tuba.yildirim@bp.com, +9	o ve Tarihi: GBF01.50.14 / 22.12.2020 90 216 571 2937			

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 13.12.2014 – 29204.						
Product name Castrol GTX 20W-50			Product code	468058-TR01	Page: 10/10	
Original preparation date 11/29/2017 For		Format	Turkey	Language	ENGLISH	
Version 11	Date of issue 19 April 2023		(Turkey)			

SECTION 16: Other information

ensure that this document is the most current available. Alteration of this document is strictly prohibited.