

1. Identification of the substance/preparation and company/undertaking

1.1 Identification of the substance or preparation

Product name Icematic SW 68

SDS no. 451110

1.2 Use of the substance/preparation Refrigerator compressor lubricant.
For specific application advice see appropriate Technical Data Sheet or consult our company representative.

1.3 Company/undertaking identification

Supplier Castrol Madeni Yağlar
Sarı Kanarya Sokak No:14
34742 Kozyatağı, İstanbul
TÜRKİYE

E-mail address MSDSadvice@bp.com

1.4 Emergency telephone number

EMERGENCY TELEPHONE NUMBER Carechem: +44 (0) 1235 239 670 (24 hours)

2. Composition/information on ingredients

Substance/preparation

Polyol ester Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

3. Hazards identification

This preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

Additional hazards NOTE: This product should not be used in compressors producing breathable air.
See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

4. First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

Skin contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.

Notes to physician Treatment should in general be symptomatic and directed to relieving any effects.

5. Fire-fighting measures

Extinguishing media

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

Hazardous decomposition products Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Unusual fire/explosion hazards This material is not explosive as defined by established regulatory criteria.

Special fire-fighting procedures None identified.

Protection of fire-fighters Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Icematic SW 68	Product code	451110-FR10	Page:	1/4
Date of revision	22 December 2009	Number of Revisions	1	Format	Turkey
First issue date	1 December 2009	Build	1.0.0	(Turkey)	Language ENGLISH (ENGLISH)

6 . Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spill material. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7 . Handling and storage

7.1 Handling	Wash thoroughly after handling.
7.2 Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.
Not suitable	Prolonged exposure to elevated temperature.
7.3 Specific uses	For specific application advice see appropriate Technical Data Sheet or consult our company representative.

8 . Exposure controls/personal protection

8.1 Occupational exposure limits	This product does not have any assigned OELs.
8.2 Exposure controls	
8.2.1 Occupational exposure controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
8.2.1.1 Respiratory protection	Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn. Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required. Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.
8.2.1.2 Hand protection	Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: nitrile gloves Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of use.
8.2.1.3 Eye protection	Safety glasses with side shields.
8.2.1.4 Skin protection	Use of protective clothing is good industrial practice. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
8.2.2 Environmental exposure controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name Icematic SW 68	Product code 451110-FR10	Page: 2/4	
Date of revision 22 December 2009	Number of Revisions 1	Format Turkey	Language ENGLISH
First issue date 1 December 2009	Build 1.0.0	(Turkey)	(ENGLISH)

9 . Physical and chemical properties

9.1 General information

9.1.1 Appearance

Physical state Liquid.
Colour Straw.

9.1.2 Odour Mild

9.2 Important health, safety and environmental information

Flash point Open cup: 270°C (518°F) [Cleveland.]
Viscosity Kinematic: 72.3 mm²/s (72.3 cSt) at 40°C
Kinematic: 9.8 mm²/s (9.8 cSt) at 100°C
Pour point -39 °C
Density 977 kg/m³ (0.977 g/cm³) at 20°C
Solubility insoluble in water.
Partition coefficient (LogKow) >1

9.3 Other information Not available.

10 . Stability and reactivity

Stability The product is stable.

10.1 Conditions to avoid No specific data.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

10.2 Materials to avoid Reactive or incompatible with the following materials: oxidizing materials.

10.3 Hazardous decomposition products Combustion products may include the following:
carbon oxides
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Acute toxicity Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.

Chronic toxicity

Chronic effects No known significant effects or critical hazards.

Effects and symptoms

Eyes No significant health hazards identified.

Skin No significant health hazards identified.

Inhalation No significant health hazards identified.

Ingestion No significant health hazards identified.

12 . Ecological information

12.1 Ecotoxicity

Environmental hazards Not classified as dangerous.

12.2 Mobility Spillages may penetrate the soil causing ground water contamination.

12.3 Persistence/degradability Not available.

12.4 Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment.

12.5 Other ecological information Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name Icematic SW 68	Product code 451110-FR10	Page: 3/4	
Date of revision 22 December 2009	Number of Revisions 1	Format Turkey	Language ENGLISH
First issue date 1 December 2009	Build 1.0.0	(Turkey)	(ENGLISH)

13 . Disposal considerations

Disposal considerations / Waste information

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

Other information

At sea, used or unwanted product should be stored for eventual discharge into port approved waste oil disposal facilities.

[Refer to all national, regional, and local regulations for disposal requirements](#)

14 . Transport information

Not classified as hazardous for transport (ADR/RID, ADN, IMDG, ICAO/IATA)

15 . Regulatory information

Classification and labelling have been performed according to EU directive 1999/45/EC as amended and adapted and Regulation on classification, packaging and labelling of Hazardous materials and preparations (26.12.2008-27092).

Label requirements

Risk phrases	This product is not classified according to EU legislation.
Other regulations	
Europe inventory	All components are listed or exempted.
United States inventory (TSCA 8b)	All components are listed or exempted.
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	Not determined.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.

16 . Other information

History

Date of issue/ Date of revision	22/12/2009.
Date of previous issue	04/12/2009.
Prepared by	Product Stewardship
Notice to reader	

Indicates information that has changed from previously issued version.

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name Icematic SW 68	Product code 451110-FR10	Page: 4/4
Date of revision 22 December 2009	Number of Revisions 1	Format Turkey
First issue date 1 December 2009	Build 1.0.0	Language ENGLISH (ENGLISH)