SAFETY DATA SHEET



Castrol Transmax Offroad 50

Section 1. Identification **GHS** product identifier Castrol Transmax Offroad 50 **Product type** Liquid. **Product code** 467241-TH01 SDS no. 467241 Relevant identified uses of the substance or mixture and uses advised against **Product use** Automatic transmission fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative. **Supplier** Castrol Singapore Pte. Limited (202034037D) 7 Straits View Marina One East Tower #26-01, Singapore 018936 Tel: +65-6335 3000 **EMERGENCY TELEPHONE** Carechem: +65 3158 1074 (24/7) **NUMBER**

Section 2. Hazards identification

Classification of the substance or mixture	Not classified.
GHS label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Other hazards which do not result in classification	Defatting to the skin.

Section 3. Composition/information on ingredients

Substance/mixture

Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product name Castrol Transmax Offroad 50	Product code	467241-TH01 Page: 1/9
Version 10.01 Date of issue 05/13/2021.	Format Singapore	Language ENGLISH
	(Singapore)	(ENGLISH)

Section 3. Composition/information on ingredients

•	0	
Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated heavy paraffinic	≥25 - ≤50	64742-54-7
Residual oils (petroleum), solvent-dewaxed	≥10 - ≤25	64742-62-7
Residual oils (petroleum), hydrotreated	≥10 - ≤25	64742-57-0
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	≤3	4259-15-8
Alkyl phenol	<1	74499-35-7 /
		121158-58-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessa	ary first aid measures
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15
	minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing.
	Check for and remove any contact lenses. Get medical attention.
lub al attain	If inhold a supervise to freehold. Out and like latteration if a mentance accur

InhalationIf inhaled, remove to fresh air. Get medical attention if symptoms occur.Skin contactWash skin thoroughly with soap and water or use recognised skin cleanser.
Remove contaminated clothing and shoes. Wash clothing before reuse. Clean
shoes thoroughly before reuse. Get medical attention if symptoms occur.IngestionDo not induce vomiting unless directed to do so by medical personnel. Get medical
attention if symptoms occur.

Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Indication of immediate medical attention and special treatment needed, if necessaryNotes to physicianTreatment should in general be symptomatic and directed to relieving any effects.Specific treatmentsNo specific treatment.Protection of first-aidersNo action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	Combustion products may include the following: phosphorus oxides carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) sulphur oxides (SO, SO ₂ , etc.)
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Product name Castrol Transma	x Offroad 50	Product code	467241-TH01	Page: 2/9
Version 10.01 Date of issue	05/13/2021.	Format Singapore	Language	ENGLISH
		(Singapore)		(ENGLISH)

Section 5. Firefighting measures

Special protective equipment for fire-fighters

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Section 6. Accidental release measures

Personal precautions, protecti	ve equipment and emergency procedures	
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.	
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and material for cont	ainment and cleaning up	
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.	

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name

Exposure limits

Product name Castrol Transmax Offroad 50 Version 10.01 Date of issue 05/13/2021. Product code467241-TH01Page: 3/9Format SingaporeLanguageENGLISH(Singapore)(ENGLISH)

Section 8. Exposure controls/personal protection

Distillates (petroleum), hydrotreated heavy paraffinic		Workplace Safety and Health Act (Singapore). PEL (long term): 5 mg/m ³ 8 hours. Issued/Revised: 1/1997 Form: Mist PEL (short term): 10 mg/m ³ 15 minutes. Issued/Revised: 1/1997 Form: Mist			
Residual oils (petroleum), solvent-dewaxed		Mist	5 mg/m³ 8 hours. Ì	Singapore). ssued/Revised: 1/1997 Form utes. Issued/Revised: 1/1997	
Residual oils (petroleum), hydrotreated		Mist	5 mg/m³ 8 hours. Ì	Singapore). ssued/Revised: 1/1997 Form utes. Issued/Revised: 1/1997	
Recommended monitoring procedures	atmosphere or of the ventilation protective equi standards. Re	biological monitoring on or other control me pment. Reference s	g may be required easures and/or the hould be made to uidance documen	ts, personal, workplace to determine the effectivenes e necessity to use respiratory appropriate monitoring ts for methods for the equired.	
Appropriate engineering controls	 Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible. 		ls) I		
Environmental exposure controls	they comply wircases, fume sc		of environmental p gineering modifica		
Individual protection measures					
Hygiene measures	Wash hands, fo eating, smoking Appropriate teo Wash contami	g and using the lavat chniques should be u	tory and at the end used to remove po e reusing. Ensure	dling chemical products, befor I of the working period. tentially contaminated clothin that eyewash stations and	
Eye/face protection	Safety glasses	with side shields.			
Skin protection Hand protection	resistant gloves gloves depend and the conditi down after repe protection befo environments a developed for e	s. Recommended: I s upon the chemicals on of the gloves (eve eated chemical expo re they must be disc and material handling each intended applic	Nitrile gloves. The s being handled, th en the best chemic sures). Most glove arded and replace g practices vary, se ation. Gloves shou	act is likely. Wear chemical e correct choice of protective ne conditions of work and use sally resistant glove will break es provide only a short time o ed. Because specific work afety procedures should be ald therefore be chosen in a full assessment of the	e, k
Product name Castrol Transma	x Offroad 50	I	Product code 4	67241-TH01 Page: 4/9	
Version 10.01 Date of issue C	05/13/2021.		Singapore (Singapore)	Language ENGLISH (ENGLISH)	
			(

Section 8. Exposure controls/personal protection

	working conditions.
Skin protection	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Colour	Amber.
Odour	Not available.
Odour threshold	Not available.
рН	Not applicable.
Melting point	Not available.
Boiling point	Not available.
Flash point	Open cup: >220°C (>428°F) [Cleveland.]
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 213 mm²/s (213 cSt) at 40°C Kinematic: 17.5 to 19 mm²/s (17.5 to 19 cSt) at 100°C

Section 10. Stability and reactivity

Reac	tivity
------	--------

No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.

Chemical stability

The product is stable.

Product name Castrol Transmax Offroad 5) Product code	467241-TH01 Page: 5/9
Version 10.01 Date of issue 05/13/2021.	Format Singapore	Language ENGLISH
	(Singapore)	(ENGLISH)

Section 10. Stability and reactivity

Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Information on likely routes of exposure	Routes of entry anticipated: Dermal, Inhalation.		
Potential acute health effects			
Eye contact	No known significant effects or critical hazards.		
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure.		
Skin contact	Defatting to the skin. May cause skin dryness and irritation.		
Ingestion	No known significant effects or critical hazards.		
Symptoms related to the physi	cal, chemical and toxicological characteristics		
Eye contact	No specific data.		
Inhalation	May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.		
Skin contact	Adverse symptoms may include the following: irritation dryness cracking		
Ingestion	No specific data.		
	as well as chronic effects from short and long-term exposure		
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.		
Inhalation Overexposure to the inhalation of airborne droplets or aerosols may cause of the respiratory tract.			
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.		
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.		
Potential chronic health effects			
General	No known significant effects or critical hazards.		
Carcinogenicity	No known significant effects or critical hazards.		
Mutagenicity	No known significant effects or critical hazards.		
Teratogenicity	No known significant effects or critical hazards.		
Developmental effects	No known significant effects or critical hazards.		
Fertility effects	No known significant effects or critical hazards.		

Product name Castrol Transmax Offroad 50	Product code	467241-TH01	Page: 6/9
Version 10.01 Date of issue 05/13/2021.	Format Singapore	Language	ENGLISH
	(Singapore)		(ENGLISH)

Section 12. Ecological information

Toxicity

Environmental effects

No known significant effects or critical hazards.

Persistence/degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

Section 13. Disposal considerations

Disposal methods	The generation of waste should be avoided or minimised wherever possible.
Disposal methods	Significant quantities of waste product residues should not be disposed of via the
	foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus
	and non-recyclable products via a licensed waste disposal contractor. Disposal of
	this product, solutions and any by-products should at all times comply with the
	requirements of environmental protection and waste disposal legislation and any
	regional local authority requirements. Waste packaging should be recycled.
	Incineration or landfill should only be considered when recycling is not feasible. This
	material and its container must be disposed of in a safe way. Empty containers or
	liners may retain some product residues. Avoid dispersal of spilt material and runoff
	and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADR/RID	ADN	IMDG	IATA/ICAO
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user Not available.

Product name Castrol Transmax Offroad 50	Product code	467241-TH01	Page: 7/9
Version 10.01 Date of issue 05/13/2021.	Format Singapore	Language	ENGLISH
	(Singapore)		(ENGLISH)

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product	No known specific national and/or regional regulations applicable to this product (including its ingredients).	
Regulation according to other foreign laws		
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.	
United States inventory (TSCA 8b)	All components are active or exempted.	
Australia inventory (AICS)	All components are listed or exempted.	
Canada inventory	All components are listed or exempted.	
China inventory (IECSC)	At least one component is not listed.	
Japan inventory (ENCS)	All components are listed or exempted.	
Korea inventory (KECI)	All components are listed or exempted.	
Philippines inventory (PICCS)	All components are listed or exempted.	
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.	

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	2021 May 13
Date of previous issue	2021 February 26
Version	10.01
Prepared by	Product Stewardship
Key to abbreviations	ACGIH = American Conference of Industrial Hygienists CAS Number = Chemical Abstracts Service Registry Number GHS = Global Harmonised System IATA = International Air Transport Association, the organisation IMDG = International Maritime Organization Rules, rules governing shipment of goods by water. OEL = Occupational Exposure Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] SDS = Safety Data Sheet STEL = Short term exposure limit TWA = Time weighted average UN Number = United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods. Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1
Indicates information that	t has changed from previously issued version

✓ Indicates information that has changed from previously issued version. <u>Notice to reader</u>

Product name Castrol Transmax Offroad 50		Product code	467241-TH01	Page: 8/9	
	Version 10.01 Date of issue	05/13/2021.	Format Singapore	Language	ENGLISH
			(Singapore)		(ENGLISH)

Section 16. Other information

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.