



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# **MOLYKOTE(R) 165 LT**

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

**1.1 Product name** : MOLYKOTE(R) 165 LT

**1.2 Identified uses** : Lubricants and additives

**Uses advised against** : None known.

**1.3 Company** : Dow Corning Europe S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe

Belgium

E-mail address (Safety

**Data Sheet)** 

sdseu@dowcorning.com

Customer Service : English Tel: +49 611237507

 Deutsch
 Tel: +49 611237500

 Français
 Tel: +32 64511149

 Italiano
 Tel: +32 64511170

 Español
 Tel: +32 64511163

Fax: +32 64888683

Tel: +44 1446732350

**1.4 Emergency Phone** : Dow Corning (Barry U.K. 24h)

Number Dow Corning (Wiesbaden 24h) Tel: +49 61122158

Dow Corning (Seneffe 24h) Tel: +32 64 888240

# 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

Not hazardous.

2.2 Label elements

**Labelling according to EEC Directive** 

S-phrases : S24/25 Avoid contact with skin and eyes.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 24.02.2011

Superseded date: 23.05.2007

# MOLYKOTE(R) 165 LT

Chemical characterization: Molybdenum disulfide grease						
According to EU Directives 67/548/EEC or 1999/45/EC:						
Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification	
Distillates (petroleum), solvent refined heavy naphthenic	64741-96-4	265-097-6	-	28.0	Substance with a Community workplace exposure limit	
Distillates (petroleum), solvent refined heavy paraffinic	64741-88-4	265-090-8	-	14.0	Substance with a Community workplacexposure limit	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	-	14.0	Substance with a Community workpla exposure limit	
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	14.0	Substance with a Community workpla exposure limit	
According to Regulatio	n (EC) No. 127	72/2008:				
Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification	
Distillates (petroleum), solvent refined heavy naphthenic	64741-96-4	265-097-6	-	28.0	Substance with a Community workplace exposulimit	
Distillates (petroleum), solvent refined heavy paraffinic	64741-88-4	265-090-8	-	14.0	Substance with a Community workplace exposulimit	
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	-	14.0	Substance with a Community workplace exposulimit	
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	14.0	Substance with a Community workplace exposulimit	



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# MOLYKOTE(R) 165 LT

# 4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

**On contact with eyes** : Flush with water.

On skin contact : Flush with water. If skin irritation persists, get medical attention.

If inhaled : No first aid should be needed.

On ingestion : Do not induce vomiting. Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing

media

On large fires use dry chemical, foam or water spray (fog). On small fires use carbon

dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

5.2 Hazards during fire

fighting

None known.

**Hazardous Combustion** 

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Sulphur products. Traces of fluorinated products.

5.3 Special protective equipment/procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

### 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

: Wear proper protective equipment.

6.2 Environmental precautions

Do not allow large quantities to enter drains or surface waters.

6.3 Methods and materials for : containment and cleaning

Scrape up and place in a container fitted with a lid. The spilled product produces an

extremely slippery surface.

up



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# MOLYKOTE(R) 165 LT

# 7. HANDLING AND STORAGE

**7.1 Advice on safe handling** : General ventilation is recommended. Do not breathe spray or mist. Avoid skin and eye

contact. Do not empty into drains.

**7.2** Advice on storage : Do not store with oxidizing agents.

**7.3 Specific uses** : Refer to technical data sheet available on request.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

Name	CAS-No.	Exposure Limits
Distillates (petroleum), solvent refined heavy naphthenic	64741-96-4	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Distillates (petroleum), solvent refined heavy paraffinic	64741-88-4	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral

### 8.2 Exposure controls

**Engineering Controls** : Ventilation : Refer to Section 7.1

### Personal protection equipment

**Respiratory protection** : A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Depending on the working conditions, wear a respiratory mask with filter(s) P or use a

self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

**Hand protection** : Chemical protective gloves should be worn where repeated or prolonged contact can

occur: Silver shield(TM). 4H(TM). Regarding glove's breakthrough time, contact your

chemical protective glove supplier.

**Eve/face protection** : Safety goggles should be worn.

**Skin protection**: Wear impervious overalls in circumstances where significant skin contact can occur.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# MOLYKOTE(R) 165 LT

**Hygiene measures** : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

**Additional information**: These precautions are for room temperature handling. Use at elevated temperature or

aerosol/spray applications may require added precautions.

**Environmental exposure** 

controls

Refer to section 6 and 12.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Grease

Colour : Black

Odour : Slight

**Explosive properties** : No

Specific Gravity : 0.98

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

### 10. STABILITY AND REACTIVITY

**10.1 Reactivity** : None known.

**10.2 Stability** : Stable under normal usage conditions.

10.3 Possibility of hazardous

reactions

None known.

**10.4 Conditions to avoid** : None established.

**10.5 Materials to avoid** : Can react with strong oxidising agents.

10.6 Hazardous decomposition

products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned

carbon compounds. Formaldehyde. Sulphur products. Traces of fluorinated products.

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity:**

On contact with eyes : Slightly irritating.

On skin contact : Slightly irritating.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# MOLYKOTE(R) 165 LT

If inhaled : No adverse effects are normally expected.

On ingestion : Smallest quantities reaching the lungs through swallowing or subsequent vomiting may

result in lung oedema or pneumonia. May cause slight mucous membranes irritation.

**Chronic toxicity:** 

On skin contact : Can irritate on prolonged or repeated skin contact.

If inhaled : No adverse effects are normally expected.

On ingestion : Repeated swallowing may cause gastrointestinal irritation and disturbance.

Toxicokinetics, metabolism

and distribution

No specific information is available.

**Other Health Hazard** 

Information

This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the

current physical form of the product, which is not in a respirable form.

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.

Based on product test data.

Based on test data from similar products.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

### 12.2 Persistence and degradability

Solid material, insoluble in water. No adverse effects are predicted.

#### 12.3 Bioaccumulation

No bioaccumulation potential.

### 12.4 Release to waters / Mobility in soil

#### Fate and effects in waste water treatment plants:

No adverse effects on bacteria are predicted.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 24.02.2011 Superseded date: 23.05.2007

# **MOLYKOTE(R) 165 LT**

# 13. DISPOSAL CONSIDERATIONS

Product and packaging

disposal

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

### 14. TRANSPORT INFORMATION

### Road / Rail (ADR/RID)

Not subject to ADR/RID.

### Sea transport (IMDG)

Not subject to IMDG code.

### Air transport (IATA)

Not subject to IATA regulations.

### 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Status** 

**EINECS** : All ingredients listed, exempt or notified (ELINCS).

**KECL** : All ingredients listed, exempt or notified.

**DSL** : Consult your local Dow Corning office.

AICS : Consult your local Dow Corning office.

**IECSC** : Consult your local Dow Corning office.

PICCS : One or more ingredients are not listed or exempt.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 24.02.2011

Superseded date: 23.05.2007

# **MOLYKOTE(R) 165 LT**

# 16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information



# **INITIAL SUBSTANCE COSHH ASSESSMENT**

Department			MSDS Ref No	UWL 02	21 Assessment R	tef S021-3	
Maintenance							
Chemical Name			Risk Phrases				
Molycote R 165LT			None				
-							
Classification	Non-ha	zardous					
Hozord Croup		Exposure Limits - Dusts >1 to 10 mg/m <sup>3</sup>					
Hazard Group	Α		Exposure Limits - Liquid N/A				
Least Hazardous Substances		More Ha	More Hazardous Substances Special Ca				
A B		В	С		D	Е	

Exposure Potential	Exposure Potential				
Frequency of Use	Infrequently				
Physical Properties	Low Dustiness Solid				
Max Amount Used	Medium - Kilograms				
Exposure Predictor	2– Kilograms of low dustiness solid				
Control Measures	1 – General				
Predicted Concentration (COSHH ESSENTIALS)					
Dust mg.m <sup>-3</sup>		Liquid ppm			
0.1 to 1		N/A			

Per	Personal Protective Equipment		Туре	
1	Are gloves required to be worn	Yes	Nitrile	
2	Is protective clothing required	Yes	Disposable	
3	Is safety eyewear required	Yes	Goggles	
4	Is safety footwear required	Yes		
5	Is head protection required	No		
6	Is hearing protection required when working in this area	Yes		
7	Is respiratory protective equipment worn currently	No		

Initial Substance	Answer			
The hazards asso duration of the ac material under op	S 🗸			
The amount being used and the frequency and duration of exposure indicate that if used under the control of local exhaust ventilation the risks to health would be reduced to well below the exposure limits and that the potential risks to health would be low.				
Due to the hazards associated with this material the PPE identified above must be worn when handling this material in order to prevent direct skin contact. If PPE is worn in accordance with manufacturers recommendations the risks to health will be adequately controlled.				
The hazards asso completed. <b>Do not use this i</b>				
Assessor Name   Signature   Last Assessment Date   Assessment Reviewed Date   Next R				
D. Cuthbert	Dluthbert	28/06/2011	12/04/2017	12/04/2022